

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,192,412 B1
APPLICATION NO. : 10/662696
DATED : March 20, 2007
INVENTOR(S) : Jianbo Zhou et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page, column 2, line 3 after "II," delete ":".

Title page, column 2, lines 13-14, delete "Ophthalmology;" and insert
-- Ophthalmology & Visual Science; --.

Column 2, line 64, delete "trail" and insert -- trial --.

Column 4, line 26, delete "effect tis" and insert -- effect is --.

Column 6, line 7, after "glaucoma" insert -- . --.

Column 6, line 16, delete "height" and insert -- heights --.

Column 7, line 37, after "non-" delete "diluted" and insert -- dilated --.

Column 7, line 37, delete "diluted" and insert -- dilated --.

Column 7, line 41, after "flow" delete "is" and insert -- in --.

Column 10, line 41, before "patient" delete "his" and insert -- this --.

Column 12, line 20, delete "239" and insert -- 230 --.

Column 14, line 28, delete "visoelastic." And insert -- viscoelastic. --.

Column 17, line 16, before "-L_d" insert -- L --.

Column 17, line 42, delete, after "it" delete "has" and insert -- had --.

Column 17, line 65, delete "resistance" and insert -- resistances --.

Column 18, line 47, delete "99" and insert -- 88 --.

Column 19, line 10, delete "along" and insert -- alone --.

Column 20, line 3, before "compared" delete "a".

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,192,412 B1
APPLICATION NO. : 10/662696
DATED : March 20, 2007
INVENTOR(S) : Jianbo Zhou et al.


Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 21, line 63, delete "visoelastic" and insert -- viscoelastic --.

Signed and Sealed this

Eleventh Day of September, 2007

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a distinct "D".

JON W. DUDAS
Director of the United States Patent and Trademark Office